

+ For swivel models add "S", for rigid model add "R" to end of base caster number.



Aubin Industries Swivel-EAZ® Crown Tread (28 Prec. Ball Bearing)

EY	6	3	2137	11 ³ / ₄	4 ¹ / ₂	S610EY06528
	8	3	3000	12 ³ / ₄	4 ¹ / ₂	S610EY08528

Standard durometer 95 Shore A. Other durometers available.



Aubin Industries Swivel-EAZ® Flat Tread (28 Prec. Ball Bearing)

EZ	6	3	2850	11 ³ / ₄	4 ¹ / ₂	S610EZ06528
	8 <td>3 <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610EZ08528</td> </td></td>	3 <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610EZ08528</td> </td>	3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610EZ08528</td>	12 ³ / ₄	4 ¹ / ₂	S610EZ08528
	10 <td>3 <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610EZ10528</td> </td>	3 <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610EZ10528</td>	3000	14 ⁷ / ₈	4 ¹ / ₂	S610EZ10528

Standard durometer 95 Shore A. Other durometers available.



Polyurethane on Heavy Duty Cast Iron (28 Precision Ball Bearing)*

PF	6	2 ¹ / ₂	2900	11 ³ / ₄	4 ¹ / ₂	S610PF06428
	8 <td>2¹/₂ <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610PF08428</td> </td></td>	2 ¹ / ₂ <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610PF08428</td> </td>	3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610PF08428</td>	12 ³ / ₄	4 ¹ / ₂	S610PF08428
	8 <td>3</td> <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610PF08528</td> </td>	3	3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610PF08528</td>	12 ³ / ₄	4 ¹ / ₂	S610PF08528
	10 <td>3</td> <td>3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610PF10528</td> </td>	3	3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610PF10528</td>	14 ⁷ / ₈	4 ¹ / ₂	S610PF10528

95 Shore A



*Tapered Roller (09) bearings available.
To order change "28" to "09". Example: S610PF10509.

Polyurethane Reactive on Iron (28 Precision Ball Bearing)*

PR	10	3	2400	14 ⁷ / ₈	4 ¹ / ₂	S610PR10528
	12 <td>3 <td>2800</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610PR12528</td> </td>	3 <td>2800</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610PR12528</td>	2800	16 ⁷ / ₈	5 ⁵ / ₁₆	S610PR12528

80 Shore A



*Tapered Roller (09) bearings available.
To order change "28" to "09". Example: S610PR10509.

Vulkollan on Cast Iron (09 Tapered Roller Bearing)*

VY	6	2 ¹ / ₂	2350	11 ³ / ₄	4 ¹ / ₂	S610VY06409
	8 <td>2¹/₂ <td>2900 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VY08409</td> </td></td>	2 ¹ / ₂ <td>2900 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VY08409</td> </td>	2900 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VY08409</td>	12 ³ / ₄	4 ¹ / ₂	S610VY08409
	8 <td>3</td> <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VY08509</td> </td>	3	3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VY08509</td>	12 ³ / ₄	4 ¹ / ₂	S610VY08509
	10 <td>3</td> <td>3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VY10509</td> </td>	3	3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VY10509</td>	14 ⁷ / ₈	4 ¹ / ₂	S610VY10509



*Roller (01) bearings available.
To order change "09" to "01". Example: S610VY10501.

Thick Tread Vulkollan on Cast Iron (09 Tapered Roller Bearing)*

VX	6	3	3000	11 ³ / ₄	4 ¹ / ₂	S610VX06509
	8 <td>3 <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VX08509</td> </td></td>	3 <td>3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VX08509</td> </td>	3000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610VX08509</td>	12 ³ / ₄	4 ¹ / ₂	S610VX08509
	10 <td>3 <td>3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VX10509</td> </td></td>	3 <td>3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VX10509</td> </td>	3000 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VX10509</td>	14 ⁷ / ₈	4 ¹ / ₂	S610VX10509



*Roller (01) bearings available.
To order change "09" to "01". Example: S610VX10501.

X-treme Plus Solid Polyurethane (28 Precision Ball Bearing)

XP	8	2 ¹ / ₂	2000	12 ³ / ₄	4 ¹ / ₂	S610XP08428
	8 <td>3</td> <td>2000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610XP08528</td> </td>	3	2000 <td>12³/₄</td> <td>4¹/₂</td> <td>S610XP08528</td>	12 ³ / ₄	4 ¹ / ₂	S610XP08528
	10 <td>2¹/₂ <td>2500 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610XP10428</td> </td></td>	2 ¹ / ₂ <td>2500 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610XP10428</td> </td>	2500 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610XP10428</td>	14 ⁷ / ₈	4 ¹ / ₂	S610XP10428
	10 <td>3</td> <td>2500 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610XP10528</td> </td>	3	2500 <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610XP10528</td>	14 ⁷ / ₈	4 ¹ / ₂	S610XP10528




Phenolic (01 Roller Bearing)*

TM	6	2 ¹ / ₂	1600	11 ³ / ₄	4 ¹ / ₂	S610TM06401
	6 <td>3</td> <td>2000</td> <td>11³/₄</td> <td>4¹/₂</td> <td>S610TM06501</td>	3	2000	11 ³ / ₄	4 ¹ / ₂	S610TM06501
	8 <td>2¹/₂ <td>2000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610TM08401</td> </td>	2 ¹ / ₂ <td>2000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610TM08401</td>	2000	12 ³ / ₄	4 ¹ / ₂	S610TM08401
	8 <td>3</td> <td>2500</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610TM08501</td>	3	2500	12 ³ / ₄	4 ¹ / ₂	S610TM08501
	10 <td>2¹/₂ <td>2500</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610TM10401</td> </td>	2 ¹ / ₂ <td>2500</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610TM10401</td>	2500	14 ⁷ / ₈	4 ¹ / ₂	S610TM10401
	10 <td>3</td> <td>2900</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610TM10501</td>	3	2900	14 ⁷ / ₈	4 ¹ / ₂	S610TM10501
	12 <td>2¹/₂ <td>3000</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610TM12401</td> </td>	2 ¹ / ₂ <td>3000</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610TM12401</td>	3000	16 ⁷ / ₈	5 ⁵ / ₁₆	S610TM12401
	12 <td>3</td> <td>3000</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610TM12501</td>	3	3000	16 ⁷ / ₈	5 ⁵ / ₁₆	S610TM12501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610TM10409.

+ For swivel models add "S", for rigid model add "R" to end of base caster number.



Trionix™ High Impact Polymer (28 Precision Ball Bearing)

NX	6	2 ¹ / ₂	3000	11 ³ / ₄	4 ¹ / ₂	S610NX06428
	6 <td>3</td> <td>3000</td> <td>11³/₄</td> <td>4¹/₂</td> <td>S610NX06528</td>	3	3000	11 ³ / ₄	4 ¹ / ₂	S610NX06528
	8 <td>2¹/₂ <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610NX08428</td> </td>	2 ¹ / ₂ <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610NX08428</td>	3000	12 ³ / ₄	4 ¹ / ₂	S610NX08428
	8 <td>3</td> <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610NX08528</td>	3	3000	12 ³ / ₄	4 ¹ / ₂	S610NX08528
	10 <td>2¹/₂ <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610NX10428</td> </td>	2 ¹ / ₂ <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610NX10428</td>	3000	14 ⁷ / ₈	4 ¹ / ₂	S610NX10428
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610NX10528</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610NX10528



Cast Iron (01 Roller Bearing)*

CA	6	2 ¹ / ₂	2300	11 ³ / ₄	4 ¹ / ₂	S610CA06401
	6 <td>3</td> <td>2800 <td>11³/₄</td> <td>4¹/₂</td> <td>S610CA06501</td> </td>	3	2800 <td>11³/₄</td> <td>4¹/₂</td> <td>S610CA06501</td>	11 ³ / ₄	4 ¹ / ₂	S610CA06501
	8 <td>2¹/₂ <td>2300</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610CA08401</td> </td>	2 ¹ / ₂ <td>2300</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610CA08401</td>	2300	12 ³ / ₄	4 ¹ / ₂	S610CA08401
	8 <td>3</td> <td>2800</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610CA08501</td>	3	2800	12 ³ / ₄	4 ¹ / ₂	S610CA08501
	10 <td>2¹/₂ <td>2300</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610CA10401</td> </td>	2 ¹ / ₂ <td>2300</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610CA10401</td>	2300	14 ⁷ / ₈	4 ¹ / ₂	S610CA10401
	10 <td>3</td> <td>2800</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610CA10501</td>	3	2800	14 ⁷ / ₈	4 ¹ / ₂	S610CA10501
	12 <td>3</td> <td>2800</td> <td>16⁷/₈</td> <td>5⁵/₁₆</td> <td>S610CA12501</td>	3	2800	16 ⁷ / ₈	5 ⁵ / ₁₆	S610CA12501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610CA10409.

V-Groove Cast Iron (01 Roller Bearing)*

VG/VF	6	2 ¹ / ₂	2500	11 ³ / ₄	4 ¹ / ₂	S610VG06401
	8 <td>2¹/₂ <td>2500</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610VG08401</td> </td>	2 ¹ / ₂ <td>2500</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610VG08401</td>	2500	12 ³ / ₄	4 ¹ / ₂	S610VG08401
	8 <td>3</td> <td>2500</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610VG08501</td>	3	2500	12 ³ / ₄	4 ¹ / ₂	S610VG08501
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VG10501</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610VG10501



V-Groove Drop Forged Steel (01 Roller Bearing)

	8	3	3000	12 ³ / ₄	4 ¹ / ₂	S610VF08501
--	---	---	------	--------------------------------	-------------------------------	-------------

*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610VG10509.

Drop Forged Steel (01 Roller Bearing)*

FS	6	2 ¹ / ₂	3000	11 ³ / ₄	4 ¹ / ₂	S610FS06401
	8 <td>2¹/₂ <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610FS08401</td> </td>	2 ¹ / ₂ <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610FS08401</td>	3000	12 ³ / ₄	4 ¹ / ₂	S610FS08401
	8 <td>3</td> <td>3000</td> <td>12³/₄</td> <td>4¹/₂</td> <td>S610FS08501</td>	3	3000	12 ³ / ₄	4 ¹ / ₂	S610FS08501
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610FS10501</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610FS10501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610FS10509.

Ductile Iron Crowned Tread (01 Roller Bearing)*

FR	6	2 ¹ / ₂	3000	11 ³ / ₄	4 ¹ / ₂	S610FR06401
	6 <td>3</td> <td>3000</td> <td>11³/₄</td> <td>4¹/₂</td> <td>S610FR06501</td>	3	3000	11 ³ / ₄	4 ¹ / ₂	S610FR06501
	8 <td>3</td> <td>3000</td> <td>11⁷/₈</td> <td>4¹/₂</td> <td>S610FR08501</td>	3	3000	11 ⁷ / ₈	4 ¹ / ₂	S610FR08501
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610FR10501</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610FR10501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610FR08509.

Ductile Iron Flat Tread (01 Roller Bearing)*

FM	6	2 ¹ / ₂	3000	11 ³ / ₄	4 ¹ / ₂	S610FM06401
	6 <td>3</td> <td>3000</td> <td>11³/₄</td> <td>4¹/₂</td> <td>S610FM06501</td>	3	3000	11 ³ / ₄	4 ¹ / ₂	S610FM06501
	8 <td>3</td> <td>3000</td> <td>11⁷/₈</td> <td>4¹/₂</td> <td>S610FM08501</td>	3	3000	11 ⁷ / ₈	4 ¹ / ₂	S610FM08501
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610FM10501</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610FM10501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610FM08509.

Ductile Iron V-Groove Tread (01 Roller Bearing)*

VM	6	2 ¹ / ₂	3000	11 ³ / ₄	4 ¹ / ₂	S610VM06401
	6 <td>3</td> <td>3000</td> <td>11³/₄</td> <td>4¹/₂</td> <td>S610VM06501</td>	3	3000	11 ³ / ₄	4 ¹ / ₂	S610VM06501
	8 <td>3</td> <td>3000</td> <td>11⁷/₈</td> <td>4¹/₂</td> <td>S610VM08501</td>	3	3000	11 ⁷ / ₈	4 ¹ / ₂	S610VM08501
	10 <td>3</td> <td>3000</td> <td>14⁷/₈</td> <td>4¹/₂</td> <td>S610VM10501</td>	3	3000	14 ⁷ / ₈	4 ¹ / ₂	S610VM10501



*Tapered Roller (09) bearings available.
To order change "01" to "09". Example: S610VM08509.